



PORTABLE CEMENT MIXER

Developed by:	Approved by:	Date created:	Last revision:
B White Safety Coordinator	Jason Moffat	May 2013	December 1, 2022
Possible Hazards Present	Personal Protection Required	Additional Training	
<ul style="list-style-type: none"> - Pinch points - Rotating drum - Electric power - Gasoline - Cement powder - Dust 	<ul style="list-style-type: none"> - CSA approved PPE - Helmet - Boots - Eye protection - Hearing protection - Dust mask - Close fitting clothing - Gloves 	<ul style="list-style-type: none"> - PPE 	
<ol style="list-style-type: none"> 1. Keep area clear of debris. 2. Keep mixer on level ground. Do not use in wet conditions. 3. Do not wear loose clothing or jewelry. Tie up long hair. 4. Pre-check for damage or wear and tear. 5. Ensure all guards are in place and electrical cords are in good condition. 6. Have a Ground Fault plug outdoors. 7. Shut off gas powered mixers before fueling. 8. Do not operate indoors because of CO2 emissions. 9. Be aware of hot exhausts. 10. Mixer should be rotating when filling or dumping, do not overload. 11. Never leave mixer unattended when running. 12. Keep guards in place when operating, use only manufacturer approved accessories. 13. Disconnect power source when servicing. 14. Protect the environment. Only rinse the mixer where water can be contained so as not to pollute storm drains or surface water. 15. REPORT ANY DANGEROUS SITUATIONS TO THE SUPERVISOR. 			
Documentation/Legislation Workplace Safety and Health Regulation, M.R. 217/2006 6 – Personal Protective Equipment 6.15 Respiratory Protection 16 Machines, Tools, and Robots		<p>This Safe Work Procedure will be reviewed anytime the task, equipment or materials change and at a minimum every three years.</p>	